### **HOLDING & TRANSPORT**



## VHP7 HOLDING & TRANSPORT CABINET



Model VHP7







#### **SPECIFICATIONS**

Vulcan Model VHP7 heated holding and transport cabinets with a narrow footprint designed specifically to hold 7 each 12" x 20" x  $2\frac{1}{2}$ " pans on fixed racking. Blower motor for gentle and even temperature distribution. Recessed control panel containing dual indicator light, thermometer, and full range thermostat for temperatures up to  $190^{\circ}F$  (88°C). Cabinet interior and exterior are both constructed out of 20 gauge stainless steel. Recessed side-mounted lift handles, magnetic action door latch, and full insulation;  $1\frac{1}{2}$ " in side walls and 2" in top. Integrated steel frame for maximum strength. Field reversible doors. Lifetime warranty on heating elements. Complete with top mounted cord, cord wrap, and plug: NEMA 5-15 for 120 volts and NEMA 6-15 for 208-240 volts. 120 volts, 600 watts, 5 amps.

UL Listed to Canadian safety standards. Classified by UL to NSF Std. #4

☐ VHP7 Holding & Transport Cabinet

#### STANDARD FEATURES

- Holding and Transport Capacity Narrow footprint designed specifically to hold 7 each 12" x 20" x 2½" pans on fixed racking
- Blower motor for gentle and even temperature distribution
- Recessed side mounted lift handles
- Recessed control panel
- Dual indicator lights
- Thermometer
- Full range thermostat for temperatures up to 190°F (88°C)
- Interior and exterior are both constructed out of 20 gauge stainless steel
- Fully insulated with 11/2" in side walls and 2" in top
- Integrated steel frame for maximum strength
- Magnetic action door latches
- Field reversible doors
- Lifetime warranty on heating elements
- Top mounted cord
- Cord wrap
- Complete with cord and plug: NEMA 5-15 for 120 volts and NEMA 6-15 for 208-240 volts
- 120 volts, 600 watts, 5 amps


## OPTIONS

- ☐ 208/240 volts
- ☐ Humidity pan





# VHP7 HOLDING & TRANSPORT CABINET



MODEL	CAPACITY 12" x 20" x2½"	HIGH	DEEP	WIDE	SHIPPING WEIGHT	VOLTS	WATTS	AMPS
VHP7	7	36.75" 933 mm	26.75" 679 mm	21" 533 mm	140 lbs. 64 kg	120	600	5



a division of ITW Food Equipment Group LLC

P.O. Box 696 Louisville, KY 40201 Toll-free: 1-800-814-2028 Local: 502-778-2791 Quote & Order Fax: 1-800-444-0602